### **Federal Communications Commission**

# NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

#### Licensee/Permittee

WXXI Public Broadcasting Council PO Box 30021 Rochester, NY, 14603

Call Sign File Number WXXI-TV 0000211827

Facility ID: 57274 NTSC TSID: 2186 Digital TSID: 2187

This License Modifies License No.

0000086491

#### **ATSC 3.0**

<b>Grant Date</b> 10/18/2005	<b>Expirati</b> 06/01/2	ion Date
Hours of Operation Unlimited		
Station Location City ROCHESTER State NY	Frequency (MHz) 554.0 - 560.0	Station Channel 28
Facility Type Commercial		

Antenna Structure Registration Number 1228608	
Transmitter	Transmitter Output Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the	As required to achieve authorized ERP.
Commission's Rules.	
Antenna Coordinates	Antenna Type
Latitude 43-8-5.5 N	Directional
Longitude 77-35-5.7 W	

Description of Antenna	
Make DIE	
Model TFU-24GTH-R 3P300BNT	
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @
0.75	Degrees Azimuth)
	Not Applicable
Major Lobe Directions	Maximum Effective Radiated Power (Average)
	320 kW
	25.05 DBK
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea
89.3	Level (Meters)
	305.7
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above
161	Ground (Meters)
	See the registration for this antenna structure.
TEDST	A

# Waivers/Special Conditions

ATSC 1.0

Call SignFacility IDWXXI-TV57274

Grant Date		ation Date
03/17/2023	06/01	/2023
Hours of Operation	1	
Unlimited		
Station Location	Frequency (MHz)	Station Channel
City ROCHESTER	518.0 - 524.0	22
State NY		
Facility Type		L
Noncommercial Educational		

Antenna Structure Registration Number 1003958	
Transmitter Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	Transmitter Output Power(kW) As required to achieve authorized ERP.

Antenna Coordinates	Antenna Type	
Latitude 43-8-7.0 N	Directional	
Longitude 77-35-2.0 W		
Description of Antenna		
Make ERI		
Model ATW25H3-ETC170-22H		
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @	
0.75	Degrees Azimuth)	
	0.5@0	
Major Lobe Directions	Maximum Effective Radiated Power (Average)	
110.0 250.0	273.0 kW	
	24.36 DBK	
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea	
93.4	Level (Meters)	
	298.4	
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above	
152.0	Ground (Meters)	
	See the registration for this antenna structure.	
	<b>*</b> * *	

## Waivers/Special Conditions

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.